




Water Tight Technologies, LLC
 P.O. Box 899, Payson, AZ 85547



SECTION 1 – PRODUCT IDENTIFICATION

Product Name: TPO Membrane	Manufacturer's Name: Water Tight Technologies, LLC
Item Number(s): T45W(indicates white color) (plus 5 numbers indicating size of sheet)	Manufacturer's Address: P.O. Box 899, Payson, AZ 85547
24 Hour Emergency Telephone Number: CHEMTREC – United States 800-424-9300 ; International 202-483-7616 (collect)	NFPA Acute Hazard Rating: Health 0, Flammability 0, Reactivity 0 HMIS Acute Hazard Rating: Health 0, Flammability 0, Reactivity 0
Chemical Name/Synonyms: N/A	Chemical Family: Mixture

SECTION 2 – CHEMICAL COMPOSITION

Ingredient Components (chemical names) Hazardous Components 1% or greater; Carcinogens 0.1% or greater:	% wt or % vol	Case No.	% wt or % vol	OSHA STEL	OSHA PEL ACGIH	ACGIH TLV
Non-Hazardous Ingredients	100					
Total	100					

There are no recognized hazards associated with normal use of this product.

SECTION 3 – PHYSICAL & CHEMICAL CHARACTERISTICS

Appearance/Odor: Solid with no odor. White color is stock item. Gray and tan can be special ordered.	Physical State: Solid	Solubility in Water: Insoluble
Boiling Point: N/A	Specific Gravity (HO=1) 0.90 – 1.20	Melting Point: 350° F
Vapor Pressure: N/A	Additional Information: N/A	Freezing Point: N/A
Percent Volatiles: N/A	Reactivity in Water: None	



Water Tight Technologies, LLC
 P.O. Box 899, Payson, AZ 85547



SECTION 4- FIRE & EXPLOSION HAZARD DATA

Flash Point: N/A	Flammable Limits (in air): LEL: N/A UEL: N/A
Extinguishing Media: Dry chemical, CO²	Fire Fighting Procedures: Use self-contained breathing apparatus and protective clothing.
Hazardous Decomposition Products: Carbon dioxide, methane, propane, aldehydes and other organic vapors.	Special Fire & Explosion Hazards: None
Method Used: N/A	Auto-Ignition Temperature: 600 - 770° F

SECTION- 5 HEALTH HAZARD DATA

Permissible Exposure Limit: N/A	Signs and Symptoms of Exposure: N/A
Effects of Overexposure: Not Hazardous	
Acute: N/A	Carcinogenicity: IARC, NTP, and OSHA do not list this product as a carcinogen.
Chronic: N/A	
Emergency & First Aid Procedures: Eye Contact: Irrigate with water for 15 minutes. Remove contact lenses, if worn. Consult medical personnel if irritation persists. Skin Contact: Not normally hazardous Inhalation: Not normally hazardous unless at elevated temperatures. Remove to fresh air. Ingestion: Induce vomiting. Consult a Physician Primary Route of Entry: None	



Water Tight Technologies, LLC
 P.O. Box 899, Payson, AZ 85547



SECTION 6 – REACTIVITY DATA

Stability: Stable	Incompatibility: None known
Hazardous Decomposition Products: In the event of a partial combustion carbon dioxide, methane, propane, aldehydes and other organic vapors.	Hazardous Polymerization: Will not occur
Conditions to Avoid: N/A	

SECTION 7 - SPILL OR LEAK PROCEDURES


Steps to be taken in case material is released or spilled: Small spill: N/A
Large Spill: N/A
Waste Disposal Method: Dispose of in accordance with federal, state and local health and pollution laws and regulations in landfill or by incineration.

SECTION 8 – SPECIAL PROTECTION

Respiratory Protection: N/A	Eye Protection: Safety glasses with side shields recommended.
Protective Gloves: Not Required	Other Protective Equipment: None required under normal installation conditions.
Ventilation: No respirator needed.	



Water Tight Technologies, LLC
P.O. Box 899, Payson, AZ 85547



SECTION 9 – SPECIAL PRECAUTIONS OR OTHER COMMENTS

Storage/Handling:

Store in cool, dry, well ventilated facility.

Other Precautions:

Store material in original shipping packaging.

Work/Hygienic Practices:

Maintain good personal hygiene practices.

SECTION 10 - TRANSPORTATION

Regulatory Agency:

Not Regulated. All components are included in the EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory

Identification Number:

Not Applicable

Proper Shipping Name:

Not Applicable

Labels Required:

Not Applicable

Hazard Classification:

**EPA SARA Title III hazard class (40CFR370): None
EPA SARA Title III Section 313 (40CFR372): None
EPA SARA Title III (40CFR355): There are no components present in this product at a level which would require reporting.**

Other Requirements:

Not Applicable

SECTION 11 – MISCELLANEOUS INFORMATION

Additional Comments:

None

Date of Previous MSDS:

N/A

Changes Since Previous MSDS:

Telephone Number for Additional Information:

(888) 269-2122

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Water Tight Technologies, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons if reasonable safety procedures are not followed.