




Water Tight Technologies, LLC
2500 Dewitt Street
Elkhart, IN 46517



SECTION 1 - IDENTIFICATION

Trade Name: Rubberall® EPDM Membrane; 060 Membrane; 045 Membrane; 060 White Membrane
Flashing: Uncured Flashing (various sizes); Pipe Boot (without tape); Preformed Corners
Product Item #: All item numbers starting with 045; 45; 060; 60; UCF; PB2; IPC; OPC
Relevant Uses: Low Slope roofing membrane; general water barrier for construction including flashing details. Pond Lining.
Details of Supplier of SDS:
Water Tight Technologies, LLC
2500 Dewitt Street, Elkhart, IN 46517
888-649-1020
Emergency Telephone Number: CHEMTREC – US: 800-424-9300; International: 703-527-3887

SECTION 2 – HAZARDS IDENTIFICATION

NFPA Rating (0=Least Severe and 4= Most Severe): Health 0; Fire 0; Reactivity 0

Label Elements: No label elements required.

No Hazard Statement or Precautionary Statements are required.

Under US regulations (29 CFR 1910.1200 – Hazard Communication Standard) this product is exempt as an article under stated normal conditions of use.

SECTION 3 – COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Chemical characterization: Proprietary mixture of non-hazardous materials.

Description: Under US regulations (29 CFR 1910.1200 – Hazard Communication Standard) this product is exempt as an article under stated normal conditions of use.

Dangerous Components: None

SECTION 4 – FIRST-AID MEASURES

General Information: First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

After Inhalation: First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

After Skin Contact: First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

After Eye Contact: First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

After Swallowing: First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.


SECTION 5 – FIRE-FIGHTING MEASURES

Suitable extinguishing agents: Water, alcohol resistant foam, dry chemical, carbon dioxide (CO2).

Advice for Firefighters:

Protective equipment: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode. Structural firefighters' protective clothing will only provide limited protection. Remove product from area of fire, stay upwind and keep out of low areas.

Combustible Products: None



SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions: No special precautions expected to be necessary if material is used under ordinary conditions and as recommended.

Environmental Precautions: No special precautions are necessary.

Methods and Materials for containment and cleaning up: Pick up pieces and place in container or bag for disposal.

Refer to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection.

See Section 13 for disposal information.

SECTION 7 – HANDLING AND STORAGE

Handling: Use good safety and industrial hygiene practices.

Information about protection against explosion and fires: No additional information required.

Storage: Store in a cool, dry, well-ventilated location.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with limit values that require monitoring at the workplace: No exposure limits/guidelines are available for this material or the components.

General protective and hygienic measures: Use good safety and industrial hygiene practices.

Respiratory protection: Under normal conditions of use, special ventilation is not required. No respiratory protection is required under normal conditions of use.

Protection of hands: No skin protection is ordinarily required under normal conditions of use.

Eye protection: Under normal conditions of use, eye protection is not required.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Form:	Solid
	Color:	Black (white in some instances)
	Odor:	Slight rubber odor

Change in condition:	Melting Point:	Undetermined
	Boiling Point:	Not relevant


Flash Point:	Not relevant
---------------------	--------------

Auto Ignition Temperature:	Product is not self-igniting
-----------------------------------	------------------------------

Specific Gravity:	> 1.0
--------------------------	-------

Solubility in/Miscibility with Water:	Negligible
--	------------

Flammable Limits:	
	Lower: Not relevant
	Upper: Not relevant



SECTION 10 – STABILITY AND REACTIVITY

General: No dangerous reactions known under normal use. Stable under normal temperatures and pressures. Avoid flames or sparks.

Possibility of hazardous reactions: hazardous polymerization will not occur.

Hazardous decomposition products: Thermal decomposition could produce CO, CO₂, hydrocarbons and oxides of nitrogen.

SECTION 11 – TOXICOLOGICAL INFORMATION

This material is an article that does not release or otherwise result in exposure to a hazardous chemical under normal use. The information provided below is for components only and not expected to be applicable to material as a whole.

Acute toxicity: Not relevant.

Primary irritant effects: Under normal conditions of use, no health effects are expected.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicological effects: Material lacking data.

Other adverse effects:

No further relevant information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste treatment methods:

Dispose of material and packaging in accordance with local, regional, national and/or international regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Product is not regulated for transportation purposes.

SECTION 15 – REGULATORY INFORMATION

CERCLA Reportable Quantity: None

SARA Title III:

Section 355(extremely hazardous substances): No ingredients listed

Section 313(specific toxic chemical listing): No ingredients listed

TSCA (Toxic Substances Control Act): All components of this product are exempt from TSCA inventory requirements.

Chemical safety assessment: A chemical safety assessment has not been carried out.



Water Tight Technologies, LLC
2500 Dewitt Street
Elkhart, IN 46517



SECTION 16 – OTHER INFORMATION

The information herein is presented in good faith and believed to be correct as of the date hereof. Information is based upon supplier-issued safety data sheets and may be subject to error. If apprised of changes, updated SDS will be promptly issued. Users must make their determination regarding the suitability of the product for their own purposes prior to use. In no event will Water Tight Technologies, LLC be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

Approval Date: 7/15/2026

Supersedes Date: 2/1/2023

Reason for revision: Change to supplier contact information.